





Stückliste / Parts list		
Pos.	Artikel-Nr.: order number	Bezeichnung title
1	1026587	Pyrometer CellaTemp PA 40 AF 4/L <i>Pyrometer CellaTemp PA 40 AF 4/L</i>
2	1026648	PA Option "/F1" ATD Funktion <i>PA Option "/F1" ATD Function</i>
3	120314	Schutzscheibe M46x0,75 mm <i>Protectiv window M46</i>
4	1066194	Montagekombination PA 20-071 <i>Mounting PA 20-071</i>




Gewicht: 0.000 Kg
 Weight: 0.000 Kg



Optik

Optik Lens	min. [mm]	max. [mm]
Standard Optik PZ 10.01 Standard lens PZ 10.01	35,0	44,4
Nah Optik PZ 10.05 close-up lens PZ 10.05	35,0	44,4
Standard Optik PZ 15.03 Standard lens PZ 15.03	51,5	65,0
Standard Optik PZ 20.01 Standard lens PZ 20.01	49,8	69,9
Nah Optik PZ 20.03 Close-up lens	49,7	67,9
Panorama Optik PZ 40.03 Panorama Optik PZ 40.03	52,1	67,9
Weitwinkel Optik PZ 20.05 Wide-angle lens PZ 20.05	62,8	64,7
Tele Optik PZ 20.06 Telephoto lens PZ 20.06	93,0	112,0
Spezial Optik PZ 20.08 Special lens PZ 20.08	35,0	44,4







Gewicht: 0.790 Kg
Weight: 0.790 Kg

Seite 1 von 1
Page 1 of 1



Für Pyrometer-Serie Optix / PZ / PA
For Pyrometer-Serie Optix / PZ / PA





- Headquarters
- Sales and Service Center
- Sales abroad



Keller HCW GmbH
Infrared Temperature Solutions (ITS)
Carl-Keller-Straße 2-10
49479 Ibbenbüren-Laggenbeck
Germany

www.keller.de/its
Tel. +49 (0) 5451 850
Fax +49 (0) 5451 85412
its@keller.de

Distributor



INOR Transmitter Oy
Unikkotie 13
FI-01300 Vantaa
Puhelin +358 10 4217900
Faksi +358 10 4217901
myynti@inor.fi