





# Stückliste / Parts list

| Pos. | Artikel-Nr.:<br><i>order number</i> | Bezeichnung<br><i>title</i>                                                   |
|------|-------------------------------------|-------------------------------------------------------------------------------|
| 1    | 1098803                             | Pyrometer CellaTemp PX 29 AF 21/L<br><i>Pyrometer CellaTemp PX 29 AF 21/L</i> |
| 2    | 1115356                             | Montagekombination PA 20-122<br><i>Mounting PA 20-122</i>                     |

Gewicht: 5.860 Kg  
*Weight: 5.860 Kg*

Seite 1 von 1  
Page 1 of 1



## Optik

| Lens                                              | min.<br>[mm] | max.<br>[mm] |
|---------------------------------------------------|--------------|--------------|
| Standard Optik PZ 20.01<br>Standard lens PZ 20.01 | 49,8         | 69,9         |

Weitere Optiken siehe Blatt 2  
further optics see sheet 2

Axialluftdüse PZ 20/A AF1

Air purge PZ 20/A AF1  
nr./no. 561176

Staubblende PZ 20/T

Dust stop PZ 20/T  
nr./no. 561253

Zwischenrohr PZ 20/J

Intermediate tube PZ 20/J  
nr./no. 514814

Zwischenrohr PZ 20/J

Intermediate tube PZ 20/J  
nr./no. 514814

Befestigungsschelle PZ 20/L AF2

Clamping collar PZ 20/L AF2  
nr./no. 561541


Halterung PB 08/Q AF1

mounting PB 08/Q AF1  
nr./no. 1080289

Flansch PB 08/R AF1

flange PB 08/R AF1  
nr./no. 1080288

Pyrometer



Gewicht: 4.960 Kg

Weight: 4.960 Kg

Seite 1 von 1

Page 1 of 1



- Headquarters
- Sales and Service Center
- Sales abroad



Keller HCW GmbH  
Infrared Temperature Solutions (ITS)  
Carl-Keller-Straße 2-10  
49479 Ibbenbüren-Laggenbeck  
Germany

[www.keller.de/its](http://www.keller.de/its)  
Tel. +49 (0) 5451 850  
Fax +49 (0) 5451 85412  
[its@keller.de](mailto:its@keller.de)

## Distributor



INOR Transmitter Oy  
Unikkotie 13  
FI-01300 Vantaa  
Puhelin +358 10 4217900  
Faksi +358 10 4217901  
[myynti@inor.fi](mailto:myynti@inor.fi)