

Vent

Technical drawing of a control panel showing various connection points. The panel is light gray with several hexagonal ports and a terminal block. Labels in German and English identify the connections:

- Sprinkler-Sensordrüse** (Sprinkler sensor orifice)
- Druckluft-ventil** (Pressure air valve)
- Sprinkler-Armatur** (Sprinkler orifice)
- Druckluft-Flussmengenmesser** (Pressure air flow meter)
- Polsterluft-empfindliche Überdruckleitung** (Sensitive overpressure line for cushioning air)
- Luftdruckmessung an Motor** (Air pressure measurement at motor)


Below the panel, two connection points are labeled:

- Anschluss 1/2" Aussengewinde** (connection 1/2" male thread)
- Anschluss 1/2" Aussengewinde** (connection 1/2" male thread)

Anschluss 1/2" Aussengewinde
connection 1/2" male thread

Anschluss 1/2" Aussengewinde
connection 1/2" male thread

Anschluss 1/2" Aussengewinde
connection 1/2" male thread



mit Heizung
with heating



KELLER
www.keller.de/its


Anschlußbox Pneumatik
Connecting box pneumatic

VP 20.01

Artikel-Nr.: 1082588

Ersteller: Neukötter	06.12.2021	Z-Index: 08
----------------------	------------	-------------






* Automatik-Flanschkugelhahn pneumatischer Drehantrieb einfachwirkend
automatic-flange ball valve, pneumatic actuator single acting



- Headquarters
- Sales and Service Center
- Sales abroad



Keller HCW GmbH
Infrared Temperature Solutions (ITS)
Carl-Keller-Straße 2-10
49479 Ibbenbüren-Laggenbeck
Germany

www.keller.de/its
Tel. +49 (0) 5451 850
Fax +49 (0) 5451 85412
its@keller.de

Distributor



INOR Transmitter Oy
Unikkotie 13
FI-01300 Vantaa
Puhelin +358 10 4217900
Faksi +358 10 4217901
myynti@inor.fi