





| Stückliste / Parts list |                              |                                                                               |
|-------------------------|------------------------------|-------------------------------------------------------------------------------|
| Pos.                    | Artikel-Nr.:<br>order number | Bezeichnung<br>title                                                          |
| 1                       | 1030163                      | Pyrometer CellaTemp PA 29 AF 21/L<br><i>Pyrometer CellaTemp PA 29 AF 21/L</i> |
| 2                       | 1026648                      | PA Option "/F1" ATD Funktion<br><i>PA Option "/F1" ATD Function</i>           |
| 3                       | 120314                       | Schutzscheibe M46x0,75 mm<br><i>Protectiv window M46</i>                      |
| 4                       | 1066194                      | Montagekombination PA 20-071<br><i>Mounting PA 20-071</i>                     |




Gewicht: 0.000 Kg  
 Weight: 0.000 Kg



## Optik

| Optik                                                 | min.<br>[mm] | max.<br>[mm] |
|-------------------------------------------------------|--------------|--------------|
| Standard Optik PZ 10.01<br>Standard lens PZ 10.01     | 35,0         | 44,4         |
| Nah Optik PZ 10.05<br>close-up lens PZ 10.05          | 35,0         | 44,4         |
| Standard Optik PZ 15.03<br>Standard lens PZ 15.03     | 51,5         | 65,0         |
| Standard Optik PZ 20.01<br>Standard lens PZ 20.01     | 49,8         | 69,9         |
| Nah Optik PZ 20.03<br>Close-up lens                   | 49,7         | 67,9         |
| Panorama Optik PZ 40.03<br>Panorama Optik PZ 40.03    | 52,1         | 67,9         |
| Weitwinkel Optik PZ 20.05<br>Wide-angle lens PZ 20.05 | 62,8         | 64,7         |
| Tele Optik PZ 20.06<br>Telephoto lens PZ 20.06        | 93,0         | 112,0        |
| Spezial Optik PZ 20.08<br>Special lens PZ 20.08       | 35,0         | 44,4         |







Gewicht: 0.790 Kg  
Weight: 0.790 Kg

Seite 1 von 1  
Page 1 of 1



Für Pyrometer-Serie Optix / PZ / PA  
 For Pyrometer-Serie Optix / PZ / PA





- Headquarters
- Sales and Service Center
- Sales abroad



Keller HCW GmbH  
Infrared Temperature Solutions (ITS)  
Carl-Keller-Straße 2-10  
49479 Ibbenbüren-Laggenbeck  
Germany

[www.keller.de/its](http://www.keller.de/its)  
Tel. +49 (0) 5451 850  
Fax +49 (0) 5451 85412  
[its@keller.de](mailto:its@keller.de)

## Distributor



INOR Transmitter Oy  
Unikkotie 13  
FI-01300 Vantaa  
Puhelin +358 10 4217900  
Faksi +358 10 4217901  
[myynti@inor.fi](mailto:myynti@inor.fi)