




# Stückliste / Parts list

| Pos. | Artikel-Nr.:<br><i>order number</i> | Bezeichnung<br><i>title</i>                                             |
|------|-------------------------------------|-------------------------------------------------------------------------|
| 1    | 1043187                             | Pyrometer CellaTemp PA 60 AF 1<br><i>Pyrometer CellaTemp PA 60 AF 1</i> |
| 2    | 1057219                             | Montagekombination PA 20-050<br><i>Mounting PA 20-050</i>               |


Gewicht: 11.340 Kg  
Weight: 11.340 Kg

Seite 1 von 1  
Page 1 of 1



## Optik Lens

|                                                       | min.<br>[mm] | max.<br>[mm] |
|-------------------------------------------------------|--------------|--------------|
| Standard Optik PZ 10.01<br>Standard lens PZ 10.01     | 35,0         | 44,4         |
| Nah Optik PZ 10.05<br>close-up lens PZ 10.05          | 35,0         | 44,4         |
| Standard Optik PZ 15.03<br>Standard lens PZ 15.03     | 51,5         | 65,0         |
| Standard Optik PZ 20.01<br>Standard lens PZ 20.01     | 49,8         | 69,9         |
| Nah Optik PZ 20.03<br>Close-up lens                   | 49,7         | 67,9         |
| Panorama Optik PZ 40.03<br>Panorama Optik PZ 40.03    | 52,1         | 67,9         |
| Weitwinkel Optik PZ 20.05<br>Wide-angle lens PZ 20.05 | 62,8         | 64,7         |
| Tele Optik PZ 20.06<br>Telephoto lens PZ 20.06        | 93,0         | 112,0        |
| Spezial Optik PZ 20.08<br>Special lens PZ 20.08       | 35,0         | 44,4         |



# Kugelflansch PB 08/I AF1

Ball flange PB 08/I AF1

nr./no. 508167

## Anbaufansch PZ 20/F

Flange PZ 20/F

nr./no. 561172

## Axialluftdüse PZ 20/A AF1

Air purge PZ 20/A AF1

nr./no. 561176

## Kühlarmatur geschlossen PA 20/M AF1

Cooling jacket closed PA 20/M AF1

nr./no. 1027765

## Staubblende PZ 10/S AF1

Dust stop PZ 10/S AF1

nr./no. 561256

## Zwischenrohr PZ 20/C

Intermediate tube PZ 20/C


nr./no. 561174

## Quarzscheibenscharnier PZ 20/I AF1


Quartz window with hinge PZ 20/I AF1

nr./no. 561173

Pyrometer



A-A



## Schlauchtülle G1/8"

für Schlauch mit lichter Weite 8 bis 9 mm

Hose nozzle G1/8"

for hose with inner width 8 to 9 mm

Seite 1 von 1

Page 1 of 1

Gewicht: 10.190 Kg

Weight: 10.190 Kg

**KELLER**

www.keller.de/its

Montagekombination

Mounting

PA 20-050


Artikel-Nr.: 1057219

Ersteller: Neukötter

26.02.2018 Z-Index: 03



- Headquarters
- Sales and Service Center
- Sales abroad



Keller HCW GmbH  
Infrared Temperature Solutions (ITS)  
Carl-Keller-Straße 2-10  
49479 Ibbenbüren-Laggenbeck  
Germany

[www.keller.de/its](http://www.keller.de/its)  
Tel. +49 (0) 5451 850  
Fax +49 (0) 5451 85412  
[its@keller.de](mailto:its@keller.de)

## Distributor



INOR Transmitter Oy  
Unikkotie 13  
FI-01300 Vantaa  
Puhelin +358 10 4217900  
Faksi +358 10 4217901  
[myynti@inor.fi](mailto:myynti@inor.fi)