

Kugelflansch PB 08/I AF2
Ball flange PB 08/I AF2
nr./no. 561987

Zwischenrohr mit Stutzen PZ 40/C
Intermediate tube with socket PZ 40/C
nr./no. 515159

Axialluftdüse PZ 20/A AF1
Air purge PZ 20/A AF1
nr./no. 561176

Kühlarmatur PZ 20/B AF5
Cooling jacket PZ 20/B AF5
nr./no. 561708

PZ Profibus


Anbaufansch PZ 20/F
Flange PZ 20/F
nr./no. 561172

Quarzscheibenscharnier PZ 20/I
Quartz window with hinge PZ 20/I
nr./no. 561173

Aluminium Schlauch PB 08/L
Aluminium tube flexible PB 08/L
nr./no. 120669


Ø 50mm; max. 5m

Gebläse PB 08/F AF3
Fan PB 08/F AF3
nr./no. 561974




Gewicht: 20.320 Kg
Weight: 20.320 Kg

Seite 1 von 2
Page 1 of 2




B-B





- Headquarters
- Sales and Service Center
- Sales abroad



Keller HCW GmbH
Infrared Temperature Solutions (ITS)
Carl-Keller-Straße 2-10
49479 Ibbenbüren-Laggenbeck
Germany

www.keller.de/its
Tel. +49 (0) 5451 850
Fax +49 (0) 5451 85412
its@keller.de

Distributor



INOR Transmitter Oy
Unikkotie 13
FI-01300 Vantaa
Puhelin +358 10 4217900
Faksi +358 10 4217901
myynti@inor.fi